

# **Oils and Lubes Index**

Description
Oil and Lubes POP (Point of Purchase) Material (Select Link)
Outboard Engine Oil (Select Link)
Oil Change Kits (Select Link)
Pumps and Spouts (Select Link)
Fuel Additives (Select Link)
Grease (Select Link)
Yamabond® Adhesives (Select Link)
Loctite® (Select Link)
Shop Supplies (Select Link)
Marine Spray Paint by Yamalube® (Select Link)
For the Technician (Select Link)

Select Yamaha
Outboard Part
Numbers to open
each product within
the ONLINE STORE

**Page** 8-1

8-2

8-3

8-4

8-6

8-7

8-9

8-10

8-11

8-12 — Accessories

Propellers

Maintenance

# **Oil and Lubes POP Material**

### YAMALUBE® Marine Performance

There are many reasons you chose a Yamaha Outboard. Performance, Technology, Durability, and an enjoyable boating experience you can look forward to thanks to Yamaha's legendary reliability. Using Genuine Yamaha oils and maintenance parts along with a regular maintenance schedule can help your customers get the most out of their engines and their boating experience.


Yamaha offers a variety of material to help you convey the importance of proper maintenance and the advantage of Genuine Yamaha parts, most at little or no cost to you.



### Yamalube® 2M-Two Stroke for Outboards

NMMA® TC-W3®-Certified, 2M premium two stroke blend delivers superior lubrication and anti-wear/anti-rust protection for outboard engines operating in demanding marine environments. Provides the highest level of protection on the market. Semi-synthetic oil with an exclusive additive blend works to guard against ring stick and carbon build up, while special additives minimize wear. This oil is designed for the most grueling conditions two stroke outboards face. Whether it's extended full-throttle operation, engine- punishing "out of the hole" acceleration, or hour after hour of trolling, this oil can take it. With its extreme level of performance, Yamalube 2M offers the best everyday protection, too. *Not recommended* for WaveRunner® Personal Watercraft or Sport Boats.





## YAMALUBE 4M FC-W® Full Synthetic SAE 5W-30

Group IV fully synthetic oil offers our best outboard lubrication and performance, and it's FC-W<sup>®</sup> rated by the National Marine Manufacturers Association (NMMA®). Contains all of the benefits of mineral oil based Yamalube 4M, with increased lubricity for lower friction levels and potentially improved fuel economy. Specific marine additives help combat rust, corrosion, varnish, and wear; all while providing high levels of bearing protection, resistance to foaming, and lubrication.





### **Yamalube 4M FC-W® for Four Stroke Outboards**

In order for an oil to be approved by the NMMA® to hold its highest rating for marine engine oils, FC-W® (Four Cycle – Water cooled) it must pass a multitude of tests. Passenger car oils don't pass these tests, which is why it's important to use NMMA®-Certified Yamalube 4M FC-W®. Automotive oils do not usually run at 6000 rpm. Yamaha Outboard engines were designed to run at full throttle (5500 to 6000 rpm) all day long. At this speed it is critical that engine oil not foam. Foaming reduces lubricity which can lead to wear and over time this can lead to failure. Yamalube 4M FC-W® has the best blend of anti-foam technology available.





YAMALUBE® Oil	<b>Quart Bottles</b> (Minimum Order Qty 12)	One Gallon Bottles (Minimum Order Qty 4)	<b>2.5 Gallon Bottles</b> (Minimum Order Qty 2)	<b>55 Gallon Drum</b> (Minimum Order Qty 1)
2M Two Stroke Oil	LUB-2STRK-M1-12	LUB-2STRK-M1-04	LUB-2STRK-M1-02	LUB-2STRK-M1-55
4M FC-W <sup>®</sup> 05W-30	LUB-05W30-FC-12	LUB-05W30-FC-04		
4M FC-W <sup>®</sup> 10W-30	LUB-10W30-FC-12	LUB-10W30-FC-04		LUB-10W30-FC-55
4M FC-W <sup>®</sup> 20W-40	LUB-20W40-FC-12	LUB-20W40-FC-04		LUB-20W40-FC-55

# Select Yamaha Item # to Open within the PPT ONLINE STORE

ueneral formation

Rigging Estimate Guide (*Diagrams)* 

Rigging Components

Electrical

Propellers

Maintenance

Oils 9.1.1.box

Detailing & Trailer Supplie

Accessories & Apparel

> Generators & Accessories

# **Outboard Oil Change Kits**

Yamaha's oil change kits are designed for the mobile service dealers to provide an easy, all in one oil change package. They're also perfect for the do-it-yourself customer. One stop, one box, and your customer is back on the water. Large, Mid Range, and Medium Kits have a minimum order quantity of 4. Small oil change kits have a minimum order quantity of 6.



Production Years	Model	Oil Change Capacity	05W30 Kit	10W-30 Kit	20W-40 Kit	Kit Contents
'10~	VF250, VF225, VF200	7.1 Qts.	LUB-MRNSH-KT-05			VMAX SHO Kit: 8 quarts of oil, oil filter, and drain screw gasket.
′10~	4.2L V6 Offshore Outboards	7.1 Qts.		LUB-MRNXL-KT-10		Extra Large Kit: 8 quarts of oil, oil filter, and drain screw gasket.
'05-'10	F250A&B	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20	
'08-'10	F225 Sport	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20	Large Kit: 6 quarts of oil, oil filter, and drain screw gasket
'02-'10	F225	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20	
'02-'10	F200	5.1 Qts.		LUB-MRNLG-KT-10	LUB-MRNLG-KT-20	
13~	F200 (In Line)	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20	Mid Dange Vite
13~	VF150	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20	Mid Range Kit: 5 quarts of oil, oil filter, and
'04~	F150	4.8 Qts.		LUB-MRNMR-KT-10	LUB-MRNMR-KT-20	drain screw gasket.
′00~	F115	4.8 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21	- Medium Kit: 4 quarts of oil, oil filter, and drain screw gasket
'99-'02	F100	5.0 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21	
′03~	F90	4.8 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21	
'99-'02	F80	5.0 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21	
'03~	F75	4.8 Qts.		LUB-MRNMD-KT-11	LUB-MRNMD-KT-21	_
'10~	F70	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	
'03~	T60	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	Small Kit: 3 quarts of oil, oil filter, and drain screw Gasket
'02~	F60	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	
'96~	T50	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	
'95~	F50	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	
'09~	F40A	2.1 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	
'99-'08	F40	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	
'01-'06	F30	2.3 Qts.		LUB-MRNSM-KT-10	LUB-MRNSM-KT-20	

# **Multi-Purpose Gallon Pump**

Universal style gallon-size container pump. Fits standard oil containers with a 1-1/2"neck. A marine lower unit fitting and all-purpose fitting are also included.

ACC-PUMP0-02-GL



# **Multi-Purpose Quart Pump**

Universal style quart-size container pump. Fits standard oil containers with a 1-1/8"neck. A marine lower unit fitting and all-purpose fitting are also included.

ACC-PUMP0-00-QT



# 5-Gallon Pail Pump

Use with 5-gallon pails of lube. Comes with special marine lower unit fitting and an all-purpose fitting for filling gearcases.

LUB-PUMP0-05-GL



### Manual 55-Gallon

Drum Pump Use with 55-gallon drums of Yamalube.

ACC-11000-39-99



### **Oil Extractor Pump**

Make changing the oil on your four stroke personal watercraft, snowmobile, ATV, boat, lawn mower, etc. clean and hassle free. Holds up to 6 liters (1.5 gal) in this sturdy portable container. Pump included.

SBT-OILEX-TR-CT









# Select Yamaha Item # to Open within the PPT **ONLINE STORE**

### 15 Liter Oil Extractor

This extractor is designed to extract fluids from inaccessible or confined areas. It is ideal for oil changes. To measure how much you have extracted, each calibrated line on the wall is about one liter with a total capacity of 15 liters.

SBT-15LEX-TR-10

# **Flexible Oil Spout**

This flexible, easy-pour spout helps with pouring engine oil from 1 gallon, 2.5 gallon and engine oil quart containers.

ACC-SPOUT-GA-LN

### **Ratio Rite®**

Provides measures for 16:1-50:1 mixtures, and cc./oz./pt. for fills.

ABA-RATIO-RI-TE

# **Cable Luber**

Lubricate control cables easily. Simply attach to control cable and spray lubricant (Lubezall) into cable luber.

ACC-11110-43-12

What's Good for the Environment Can Be Bad for Your Engine.

Ethanol-enriched (E-10) fuels help to improve air quality, which is why the federal government has mandated their increased use. However, unlike fuels of the past, E-10 fuels are known to absorb moisture, either from the air or from standing water in the bottoms of fuel tanks. They also generate corrosive sulfate salts that can attack metal components in a fuel system, clogging filters and resulting in other performance issues. Because of these known weaknesses, E-10 fuels require special care and treatment, whether your engine is in constant use or in storage. The Yamalube Care Products line includes formulations that help combat the potential harmful sideeffects of E-10 fuels, ensuring high performance, lower ownership costs and a long life for your Yamaha.



# Ring Free PLUS

Exclusive, synthetic PLUS formula provides superior deposit control; cleaning fuel injectors, carburetors, intake valves, intake ports and combustion chambers. Contains metal filmers to help protect fuel system components like silver solder, copper, aluminum and steel from the corrosive affects of ethanol sulfate salt.

> 32 oz. Bottle (Qty. 6\*) ACC-RNGFR-PL-32 12 oz. Bottle (Qty. 12\*) ACC-RNGFR-PL-12



# **Fuel Stabilizer & Conditioner PLUS**

Strongly recommended for E-10 fuels, this alcohol-free formula helps prevent fuel oxidation and phase separation. Use continuously to help keep fuel fresh, potent and free from gum and varnish for up to one year of storage. Its metal filmers provide extensive protection for steel and aluminum components.

> 32 oz. Bottle (Qty. 6\*) ACC-FSTAB-PL-32 12 oz. Bottle (Qty. 12\*) ACC-FSTAB-PL-12





# **Grease**

General Information

Rigging Estimate Guide (Diagrams)

Components

Components

Engine Accessories

Maintenance

**Trailer Supplies** 



# Select Yamaha Item # to Open within the PPT **ONLINE STORE**

# **Molybdenum Disulfide**

This extreme-pressure grease lubricates high loads at various speeds. Non-corrosive, it's water-resistant, exhibiting low-friction properties that protect against wear and galling in difficult operating conditions.

10 oz. Tube (Qty. 12\*) ACC-MOLDM-GS-10





#### **Marine Grease**

Especially formulated to resist wash-off and extreme heat and pressure, and prevent corrosion and rust. (NLGI® 2) Lithium soap based.

10 oz. Tube (Qty. 12\*) *ACC-GREAS-10-CT* 

14 oz. Cartridge (Qty. 10\*) ACC-GREAS-14-CT



# **Multi-Purpose Grease**

Specially formulated to resist extreme pressure, water and corrosion. (NLGI® 2)

1 lb. Tub (Qty. 6\*) ACC-MLTPR-GR-00



### 3 oz. Multi-Purpose Grease Gun

One-hand operation. Includes one multi-purpose grease cartridge.

ACC-GREAS-EG-UN

Uses 3 oz. Refill Cartridges ACC-GREAS-RE-FL



#### WR No. 2 Grease

Provides water resistance, rust protection, lubrication and heat resistance. Specially designed for four stroke oil pump seals, drive shaft splines and drive shaft bushing area. For four stroke and two stroke applications.

90790-74046-00

<sup>\*</sup> Ordered individually with a minimum order quantity

### **Power Trim & Tilt**

Premium formula is nonfoaming and resists heat and pressure found in power trim, tilt and power steering systems for smooth operation. Meets Yamaha factory requirements.

> Quart Bottle (Qty. 12\*) ACC-PWRTR-MF-32 10 oz. Tube (Qty. 12\*) ACC-PWRTR-MF-10



## **Marine Lower Unit Gear Lube HD**

Special formulation required for use in V8 F300-F350 V6 VMAX SHO® 200-250, and 4.2L Offshore gearcases. (Not recommended for use in any other Yamaha outboard.)

> Quart Bottle (Qty. 12\*) ACC-GLUBE-HD-QT Gallon Bottles ACC-GLUBE-HD-GL 5 Gallon Pail ACC-GLUBE-HD-05



### **Gearcase Lube**

Rust and corrosion inhibitors protect outboard gearcase components. (Not for use on V8 outboards.)

ACC-GEARL-UB-10	10 oz. Tube (Qty. 12*)
ACC-GEARL-UB-QT	Quart Bottle (Qty. 12*)
ACC-GEARL-UB-GL	Gallon Bottle (Qty. 4*)
ACC-GEARL-UB-05	5 Gallon Pail
ACC-GEARL-UB-55	55 Gallon Drum



\* Ordered individually with a minimum order quantity

Electrical Components

# Yamabond® Adhesives



# Select Yamaha Item # to Open within the PPT **ONLINE STORE**

#### Yamabond® 4 Marine

This silicone-based liquid gasket fills gaps to prevent leaks. Pressure and oil resistant.

3 oz. Tube ACC-BOND4-MA-00



### Yamabond® 5

Coat mechanical joints with this liquid gasket before assembly to prevent leaks.

2.5 oz. Tube ACC-YAMAB-ON-D5



#### Yamabond® 6B

Has high viscosity and excellent swelling, and works effectively for joint surfaces that have a larger clearance.

3.5 oz. Tube ACC-YAMAB-ND-6B



# Yamabond® 7

High-strength, synthetic rubber adhesive formulated for grips, throttle pipes and lever handles, without damaging rubber.

10 gram Tube ACC-YAMAB-ON-D7



# Yamabond® 14

Yamabond 14 is a solvent based thread lock. Vibration and impactresistant, it locks screws, bolts and threaded fasteners. Works great with plastic and metal.

200 grams ACC-YAMAB-ON-14



# Yamabond 1386

Used for camshaft caps on four stroke outboard engines.

15 ml Bottle ACC-YAMBD-13-86

#### 668™ 19 GM

Extreme application anaerobic retaining adhesive. (Can use in place of Loctite ® 648™ Threadlocker)

ACC-QKSTX-66-80



# 248™ MD 9 GM

Medium strength anaerobic threadlocking material. (Can use in place of Loctite® 242™ Threadlocker)

ACC-QKSTX-24-80



# 268™ HI 9 GM

High strength anaerobic, thixotropic, thread-locking material. (Can use in place of Loctite® 271™ Threadlocker)

ACC-OKSTX-26-80



# 561<sup>™</sup> PST<sup>®</sup> 19 GM

A single-component, high-viscosity, low strength, acrylic thread-locking adhesive. (Can use in place of Loctite® 567™ PST® Sealant)

ACC-QKSTX-56-10



## Yamabond® Blue Threadlocker

This medium-strength anaerobic threadlocking agent prevents nuts and bolts from loosening due to vibration. This primerless threadlocker is easy to use. Can be used where service manual calls for Loctite® 242™.

ACC-YAMBD-P2-42



# Yamabond® Red Threadlocker

This high-strength anaerobic threadlocking agent prevents nuts and bolts from loosening. This primerless threadlocker is easy to use. This product is for use where the service manual states "Use LT 271."

ACC-YAMBD-P2-71



General Information

Rigging Estimate Guide (Diagrams)

> Rigging Components

Electrical Components

Engine Accessories

# **Shop Supplies**



# Yamaha Internal Engine Cleaner

For dealer purchase only. The best product offered by Yamaha for carbon removal. Ordered by case, 1 on order equals 6 bottles.

Quart bottle (Qty. 6\*) ACC-CLEAN-D1-00



# **Carburetor Cleaner Dip**

Use this concentrated solution with water as a dip for cleaning metal that has been varnished by old gasoline. Also removes dirt, grime and gum.

Quart Bottle (Qty. 12\*) ACC-CARBC-LE-NR



# **EFI Engine Storage Fogging Oil**

Equally distributes fogging oil to cylinders in EFI engines with single-throttle bodies, protecting pistons, cylinder walls and valves from moisture, salt water and combustion acids for up to 1 year of storage.

Quart Bottle (Qty. 6\*) ACC-STORR-IT-32



# **Stor-Rite Engine Fogging Oil**

Lubricates and protects internal engine components. Critical for proper winterization and during extended storage periods.

12 oz. Can (Qty. 12\*) ACC-STORE-RI-TE



#### **Combustion Chamber Cleaner**

Use to remove carbon and other contaminants from cylinders, pistons, rings and valves. A great inclusion into your seasonal maintenance. Clean engines last longer.

13 oz. Can (Qty. 12\*) ACC-CMBSN-CL-NR



# LubezAll

This popular lube is back and completely reformulated. Now an aerosol synthetic grease with PTBE, it's a high quality multipurpose lubricant.

11 oz. Can (Qty. 12\*) ACC-LUBZA-LL-00



# **Brake & Contact Cleaner**

Use this product to clean off brake dust from critical brake components and quickly clean parts leaving them residue free.

13 oz. Can (Qty. 12\*) ACC-BRKCT-12-00



## **Battery Terminal Cleaner & Protector**

This strong water-based cleaner with acid-alkali indicator removes corrosive build-up on battery terminal posts to help increase power output and extend battery life. Simply rinses off with water and leaves terminals coated with a residual protective film.

13 oz. Can (Qty. 12\*) ACC-BATTC-LN-PR

<sup>\*</sup> Ordered individually with a minimum order quantity

**External Engine Cleaner** 

Powerful engine degreaser and engine cleaner powers off grease, mud and grime. Safe on most rubber, plastic and painted metal surfaces.

15 oz. Can (Qty. 12\*) ACC-ENGCL-NR-00



### Yamashield™

Designed to create a non-conductive shield on surfaces that are exposed to the elements. This shield will reduce the effects of moisture on metal components and electrical connections. (Replaces Boeshield T-9® Protectant and Lubricant ACC-T9SPR-AY-00)

13 oz. Can (Qty. 12\*) *ACC-YAMSH-LD-00* 



#### **Precision Parts Cleaner**

Designed to meet all the demands of a fast-drying, powerful cleaner. Formulated to remove oil, grease, and other contaminants. Quickly and easily cleans engine parts, internal and external components, ignitions, electrical components, spark plugs, or any use where a fast-drying cleaner that leaves no residue is needed.

12.5 oz. Can (Qty. 12\*) ACC-PPCPT-CL-NR



# **Silicone Spray Protectant & Lubricant**

General-purpose lubricant that helps to protect metals against rust and corrosion. Conditions and protects neoprene, rubber and other surfaces from environmental effects.

11 oz. Can (Qty. 12\*) ACC-SLCNS-PR-AY



# **Hand Cleaner**

This hand cleaner powers through dirt, grease, and grime to give your hands a smooth clean feeling. Also available in a one-gallon bottle, for use with our wall mounted dispenser.

> 15 oz. (Qty. 12\*) ACC-HNDCL-NR-00 4 liters (Qty. 4\*) ACC-HNDCL-NR-01 Dispenser ACC-HNDCL-NR-DS







### **Marine Spray Paint by Yamalube**

A high-quality, factory-matched spray paint for touch-ups or full overcoat application. This durable enamel coating will provide good performance in the rigors of the marine environment.

> 8D Dark Bluish Gray 1 ACC-MRNPA-IT-8D 4D Dark Bluish Gray Metallic 2 ACC-MRNPA-IT-4D NA Shiny Black ACC-MRNPA-IT-NA



\* Ordered individually with a minimum order quantity

Information

Rigging Estimate Guide (*Diagrams)* 

Rigging Components

Electrical Components

# Oils & Lubes

# For the Technician



# Select Yamaha Item # to Open within the PPT ONLINE STORE

# **Yamalube Fingerless Mechanics Safety Gloves**

These safety gloves offer protection against abrasions, cuts and blisters, all while allowing your hands to maintain a great degree of flexibility and dexterity thanks to the fingerless design. Other features include: Fingerless Design Padded palms that provide impact resistance Velcro™ adjustable wrist closure Machine-washable

Meduim - ACC-YAMAG-NF-MD Large - ACC-YAMAG-NF-LG X Large - ACC-YAMAG-NF-XL 2X Large - ACC-YAMAG-NF-XX



# **Yamalube Mechanics Safety Gloves**

These safety gloves offer protection against abrasions, cuts and blisters, all while allowing your hands to maintain a great degree of flexibility and movement. Other features include: Padded palms that provide impact resistance Velcro™ adjustable wrist closure Machine-washable

Meduim - ACC-YAMAG-LV-MD Large - ACC-YAMAG-LV-LG X Large - ACC-YAMAG-LV-XL



# **Nitrile Disposable Mechanics Gloves**

These black nitrile gloves are textured to enhance grip action and are up to three to four times the puncture and chemical resistance of latex. Powder free Latex-free 100 gloves per box

Meduim - ACC-MECHG-LV-MD Large - ACC-MECHG-LV-LG X Large - ACC-MECHG-LV-XL



#### **Metric Tool Kit**

This handy metric tool kit contains the following: combo wrenches (8, 10, 12 and 14mm), 8" adjustable wrench, locking wrench, 4-way Phillips/standard screw driver, Allen wrenches (#3, #4, #5 and #6), spark plug wrench, spark plug gap gauge, black electrical tape, WD-40°, tire pressure gauge, zip ties, wire, rag and a handy zippered storage case.

ABA-METRC-00-00

# DMX™ Fanny Pack Tool Kit by CruzTOOLS®

This is the ultimate off-road tool kit. Complementing the long list of tools and other items is a stout and functional pouch using a super-tough 5040 denier nylon shell, top grade hardware and zippers, plenty of storage including a unique mesh cash and document pocket and key clip. The large assortment of tools was selected specifically for trail use. With the DMX<sup>™</sup>, you're ready to roll!

ACC-0SS58-40-64



### **Wrench Set**

This high-quality wrench set is precision-crafted from special alloy steel for strength and finished in a polished nickel-chrome for corrosion resistance and a distinctive look. Five-piece set includes 8, 10, 12, 14 and 17mm combination wrenches and a convenient tool bag. Set carries the Yamaha lifetime warranty.

DBY-ACC58-41-52



# **Pliers Set**

This three-piece set includes side cutters, needle nose, and standard pliers. Each tool is built with control, comfort, power, and durability in mind. Cold forged from special alloy steel for increased strength from top to bottom. Features include contoured handles with comfortable grips that give you the leverage you need, joints that are positioned close to the cutting edge, making it easier to cut heavy wire with less fatigue, and tapered blades that give you more power around the joint and more control at the tip. Set carries the Yamaha lifetime limited warranty.

DBY-ACC58-41-50



# Select Yamaha Item # to Open within the PPT ONLINE STORE

General Information

Rigging Estimate Guide (Diagrams)

Rigging Components

Electrical Components

Engine Accessories

**Propellers** 

Maintenance Items



# **Grip Nose Pliers**

These pliers are a great addition to every toolbox. The unique monster-like teeth on the end of the jaws are shaped to grip damaged screw heads for easy removal. It is also ideal for gripping the back side of the rivets to prevent spinning when drilling them out. The rubberized grips are comfortable and cold forged jaws mean these pliers are built to last.

MTS-TLSKT-01-07



# PowerDrive™ Sliding T-Driver with 8-Piece Socket Set by CruzTOOLS®

The PowerDrive™ Sliding T-handle set Includes a 3/8" tip driver, 8, 10, 12, 14, and 17mm sockets, 5 and 6mm hex bits and a #2 Phillips screwdriver bit. A socket clip that attaches to the driver keeps the sockets in order and a rugged vinyl pouch keeps the tools protected.

ACC-0SS58-40-67



# 3/8" Drive Metric Hex Bit Socket Set by CruzTOOLS®

The CruzTOOLS® metric hex socket bit set handles virtually all of the hex needs for powersport vehicles. The set includes a rail with handle to ensure sockets remain organized no matter where you are. Sizes are shown in a "reverse" laser imprint for easy identification. The eight piece socket set includes all the sizes you'll need ranging from 2.5mm through 12mm.

ACC-0SS58-40-63



# Outback'r M14™ Metric Multi-Tool by CruzTOOLS®

Function, space, and value converge in this nifty unit! You'll get 14 tools – four hex keys (3, 4, 5, and 6mm), two screwdrivers, a socket driver with 8, 10, and 12mm sockets, 13 and 14mm open-end wrenches, and three spoke wrenches – all in a nine ounce unit that's only 3.5" long. Except for the sockets, there are no loose pieces to put together for operation and at only 3.5" long it is very compact.

ACC-0SS58-40-66



### **T-Handle Allen Set**

Allen T-handle set comes with 2.5, 3, 4, 5, and 6mm sizes. Also comes with a vinyl carrying pouch.

ABA-THNDL-AL-ST

**Screwdriver Set** 

All of the screwdrivers in this five-piece set are made of heat-treated alloy steel to prevent chipping and rounding of the tips. The bi-mold rubberized grips are comfortable and allow you to maximize torque. Set includes two flathead and three Phillips tip screwdrivers. Set carries the Yamaha limited lifetime warranty.


DBY-ACC58-41-51



# **Jet Cleaning Tool**

These precisely machined rods are sized to allow you to clean out carburetor jets without causing damage. A very handy tool for regular carburetor maintenance.

MTS-TLSKT-04-03



### **Oil Filter Wrench**

This stamped steel, chrome plated filter wrench makes removing oil filters a breeze. Simply place the wrench over the end of the filter and turn it using either a 3/8" ratchet or 17mm wrench. Two sizes will cover all of your Yamaha spin-on style filters. For 3FV and 5GH Yamaha Oil Filters

MTS-TLSKT-02-09



